



I2269VW

21.5 inch (54.6 cm) LCD MONITOR

Sharp, clear viewing from every angle



5ms



IPS Panel

No matter if you are viewing photos, videos, a magazine layout in InDesign or playing your favourite game – we want your content to look excellent from whatever angle you are seeing it. That is why this display comes with an advanced IPS panel, which produces brilliant colours and offers wide viewing angles. This way, images always look excellent and accurate, regardless from which angle you – or your friends and co-workers sitting or standing next to you – are looking at the screen.



Integrated Speakers

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.



MHL Connection

Mobile High-Definition Link (MHL) technology lets you mirror the content from your portable devices directly on this display. Use an MHL cable to connect your smartphone or tablet and bring all your entertainment to life on the large monitor screen with full digital sound. Relax and enjoy your games, movies, photos and apps on the big screen while charging your mobile device at the same time.



Vesa Mount

AOC's Ergo Base stands bring versatility, sturdiness and ease of use in one package. But do you still want to use your wall mount or multi-monitor setup using desk mounts? VESA mounts bring you the uppermost flexibility. Upside-down, in pivot mode, on top of each other, attach your monitor wherever you want using 3rd party mounts and stands thanks to the VESA mount option.

General

| | |
|----------------|---------------|
| Model name | i2269vw |
| EAN | 4038986124126 |
| Product Line | Value-line |
| Series | 69 Series |
| Channel | B2C |
| Classification | Mainstream |
| Section | Consumer |
| Launch date | 01-01-2015 |

Screen

| | |
|--------------------------|---|
| Resolution | 1920x1080 |
| Refresh rate | 60Hz |
| Screen size (inch) | 21.5 inch |
| Screen size (cm) | 54.6 cm |
| Backlight | WLED |
| Panel Type | IPS |
| Aspect ratio | 16:9 |
| Display Colours | 16.7 Million |
| Active Screen Area (HxW) | 476.064x267.786 mm |
| Pixel Pitch | 0.248 |
| Scanning Frequency | 30-83khz/50-76hz |
| Pixel Frequency | 170Mhz |
| Response time (GtG) | 5 ms |
| Contrast (static) | 1000:1 |
| Contrast (dynamic) | 50M:1 |
| Brightness (typical) | 250 cd/m² |
| Viewing angle (CR10) | 178/178 ° |
| OSD languages | EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP |

Exterior

| | |
|----------------|------------|
| Monitor colour | Black |
| Bezel Type | Borderless |

Ergonomics

| | |
|----------------|---------|
| Vesa Wallmount | 75x75 |
| Tilt | -5/23 ° |

Connectivity and Multimedia

| | |
|--------------|----------|
| Signal Input | VGA, DVI |
|--------------|----------|

| What's in the Box? | |
|--------------------|-------|
| VGA cable | 1,2 m |
| DVI cable | 1,5 m |
| Power Cable C7 | 1.2 m |

Power / Environmental

| | |
|---------------------------------------|--------------------|
| Powersupply | Internal |
| Powersource | 100 - 240V 50/60Hz |
| PowerConsumption On (Energystar) | 23 watt |
| PowerConsumption Standby (Energystar) | <0.5 watt |
| PowerConsumption Off (Energystar) | <0.5 watt |

Approbations / Regulations

| | |
|----------------|----|
| TCO | 6 |
| EPEAT | No |
| TUV-Bauart | ✓ |
| CE | ✓ |
| FCC | ✓ |
| EAC | ✓ |
| Rohs compliant | ✓ |

Warranty

| | |
|-----------------|--------------|
| Pixel Policy | ISO 9241-307 |
| Warranty Period | 3 Years |
| MTBF | 50.000 hours |

Dimensions / Weights

| | |
|----------------------------------|----------------------|
| Product height (mm) | 379.4 |
| Product width (mm) | 498.3 |
| Product depth (mm) | 189.2 |
| Packaging Dimensions (L x W x H) | 564x449x136 mm |
| Product Dimensions (incl base) | 498.3x379.4x189.2 mm |
| Gross Weight (including package) | 5.12 Kg |
| Net Weight (excluding package) | 3.5 Kg |

Texts and USP

| | |
|-----------------|--|
| Marketing title | 21.5 inch 1920x1080@60Hz 5 ms IPS VGA, DVI |
|-----------------|--|