



I2475PRQU

Stunning performance that puts comfort first.



Height adjustable stand

We care about your well-being. This is why this monitor offers height adjustment options, which help you find your perfect posture while working, playing or watching videos. Adapting your AOC monitor to your needs not only helps you reduce fatigue and keep your body healthy. In the end it lets you and your team achieve better results in whatever you are doing.



Integrated Speakers

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.



IPS Panel

No matter if you are viewing photos, videos, a magazine layout in InDesign or playing your favourite game – we want your content to look excellent from whatever angle you are seeing it. That is why this display comes with an advanced IPS panel, which produces brilliant colours and offers wide viewing angles. This way, images always look excellent and accurate, regardless from which angle you – or your friends and co-workers sitting or standing next to you – are looking at the screen.



Display Port

The most recent display interface standard from VESA, DisplayPort can also transfer audio, USB and other forms of data. DisplayPort version 1.2-1.2a support up to 165 Hz@1440p, 75 Hz@2160p, version 1.3 supports up to 240Hz@1440p, 120 Hz@2160p and the version 1.4 supports HDR10 specifications.

General

| | |
|----------------|---------------|
| Model name | I2475PRQU |
| EAN | 4038986145947 |
| Product Line | Pro-line |
| Series | 75 Series |
| Classification | Hero |
| Section | Business |
| Launch date | 01-12-2016 |

Screen

| | |
|--------------------------|---|
| Resolution | 1920x1200 |
| Refresh rate | 60Hz |
| Backlight | WLED |
| Panel Type | IPS |
| Display Colours | 16.7 Million |
| Active Screen Area (HxW) | 518,4x324 mm mm |
| Pixel Pitch | 0.269 |
| Scanning Frequency | 30-83khz/50-76hz |
| Pixel Frequency | 165Mhz |
| Response time (GtG) | 4 ms |
| Contrast (static) | 1000:1 |
| Contrast (dynamic) | 20M:1 |
| Brightness (typical) | 250 cd/m² |
| Viewing angle (CR10) | 178/178 ° |
| OSD languages | EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP |

Exterior

| | |
|-----------------|--------|
| Monitor colour | Black |
| Bezel Type | Narrow |
| Removable Stand | ✓ |

Ergonomics

| | |
|----------------------|------------|
| Vesa Wallmount | 100x100 |
| Tilt | -5/20 ° |
| Swivel | -165/165 ° |
| Pivot | ✓ |
| Height Adjust Amount | 130mm |

Multimedia

| | |
|-------------------|-----------------------|
| Built-in Speakers | 2 W x 2 |
| Audio output | Headphone out (3,5mm) |

Connectivity and Multimedia

| | |
|--------------|---|
| Signal Input | HDMI 1.4 x 1, DisplayPort 1.1 x 1, VGA, DVI |
| USB input | USB 3.0 x 2 & USB 2.0 x 2 |

What's in the Box?

| | |
|-------------------|-------|
| VGA cable | 1,8 m |
| DVI cable | 1,8 m |
| HDMI cable | 1,8 m |
| Displayport Cable | 1,8 m |
| Audio Cable | 1,8 m |
| USB cable | 1,8 m |
| Power Cable C13 | 1,8 m |

Power / Environmental

| | |
|---------------------------------------|--------------------|
| Powersupply | Internal |
| Powersource | 100 - 240V 50/60Hz |
| PowerConsumption On (Energystar) | 25 watt |
| PowerConsumption Standby (Energystar) | <0.5 watt |
| PowerConsumption Off (Energystar) | <0.5 watt |
| EnergyClass | A+ |

Approbations / Regulations

| | |
|------------------------------|-----|
| Listed on Energystar Website | ✓ |
| TCO | 7 |
| EPEAT | Yes |
| Listed on Epeat Website | ✓ |
| TUV-GS | ✓ |
| CE | ✓ |
| FCC | ✓ |
| EAC | ✓ |
| ISO 9241-307 class I | ✓ |
| Rohs compliant | ✓ |

Warranty

| | |
|-----------------|--------------|
| Pixel Policy | ISO 9241-307 |
| Warranty Period | 3 Years |
| MTBF | 50.000 hours |

Dimensions / Weights

| | |
|----------------------------------|----------------|
| Product height (mm) | 534 |
| Product width (mm) | 559 |
| Product depth (mm) | 139 |
| Packaging Dimensions (L x W x H) | 648x434x189 mm |
| Product Dimensions (incl base) | 559x534x139 mm |
| Gross Weight (including package) | 7.7 Kg |
| Net Weight (excluding package) | 6.2 Kg |

Texts and USP

| | |
|-----------------|--|
| Marketing title | 1920x1200@60Hz 4 ms IPS HDMI 1.4 x 1, VGA, DVI, DisplayPort 1.1 x 1 USB 3.0 x 2 & USB 2.0 x 2 |
|-----------------|--|

Features

| | |
|--------------|---|
| Flicker-free | ✓ |
|--------------|---|