

24G2U5/BK

23.8 inch (60.4 cm) LCD MONITOR

Everything gamers need: 75 Hz refresh time, 1 ms response time (MPRT) and IPS panel

















1MS MPRT

1<u>–</u>.

A pixel response time of 1ms means speed without the smear for an enhanced experience. Fast-moving action and dramatic transitions will be rendered smoothly without the effects of ghosting.



75Hz Refresh Rate

Get the upper edge! With a 75 Hz refresh rate, the display panel draws 75 frames each second. 75 Hz refresh rate is 25% faster than what is offered on most entry level displays at 60 Hz, while still being affordable and delivering those extra frames gamers need to beat their opponents.



Minimal bezel distraction for the ultimate battle station

Expand your view with multiple monitor set-up. The narrow border and frameless design offer the minimal bezel distraction for the ultimate battle station.



FreeSync

The AMD FreeSync Technology ensures that the GPU's and monitor's refresh rates are synchronised, which provides a smooth, tear free gaming experience. You will appreciate the low input lag if you're looking for the best quality visuals in fast paced games.



Low Input Lag

Unleash your reflexes by switching to the AOC Low Input Lag mode. Forget graphical frills: this mode rewires the monitor in favour of raw response time, giving the ultimate edge in hair trigger stand offs.



G-menu

AOC G-Menu is a free tool that you can install on your PC to have complete customization paired with maximum convenience for any AOC or AGON monitor



6 Games mode

Tailor your display to the game with a click of a button. Switch settings between in-built presets for FPS, racing, or RTS games, or customise your own ideal conditions and save them. The AOC Settings KeyPad makes switching profiles or adjusting features quick and easy.



Height adjustment

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of gaming comfort.

General	
Model name	24G2U5/BK
EAN	4038986146951
Product Line	AOC Gaming
Series	G2 Series
Channel	B2C
Classification	Hero
Section	Gaming
Gaming style	Shooters, MMORPG, Action, RTS, FPS (eSports), Beat 'm up
Launch date	15-11-2019
Continent	Europe
Product status (EU)	Launch

Screen

Resolution1920x1080Refresh rate75HzScreen size (inch)23.8 inchScreen size (cm)60.4 cmFlat / CurvedFlatBacklightWLEDPanel TypeIPSAspect ratio16.9Display Colours6Active Screen Area (HxW)2740(HIMm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVigA/DP1.2/HDM1.4 : 30 -160KHz (H) VGA : 50 - 146 Hz (V) DP1.2/HDM1.4 : 30 - 160KHz (H) VGA : 50 - 146 Hz (V) DP1.2/HDM1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Brightenss (typical)250 cd/m²Viewing angle (CR10)778/178 °Hard Glass6, N, FR, FS, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CM (S) PI		
Screen size (inch)23.8 inchScreen size (cm)60.4 cmFlat / CurvedFlatBacklightWLEDPanel TypeIPSAspect ratio16:9Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard GlassSHOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Resolution	1920x1080
Screen size (cm)60.4 cmFlat / CurvedFlatBacklightWLEDPanel TypeIPSAspect ratio16:9Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (static)500 c/lm²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Refresh rate	75Hz
Flat / CurvedFlatBacklightWLEDPanel TypeIPSAspect ratio16:9Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (static)1000:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Screen size (inch)	23.8 inch
BacklightWLEDPanel TypeIPSAspect ratio16:9Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL , CZ, RU, KR, CN (T), CN (S),	Screen size (cm)	60.4 cm
Panel TypeIPSAspect ratio16:9Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Flat / Curved	Flat
Aspect ratio16:9Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (static)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Backlight	WLED
Display Colours16.7 MillionPanel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Panel Type	IPS
Panel Colour in Bits6Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 : 48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Aspect ratio	16:9
Active Screen Area (HxW)527,04(H)mm X 296,46(V)mm mmPixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 :48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL , CZ, RU, KR, CN (T), CN (S),	Display Colours	16.7 Million
Pixel Pitch0.2745Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 :48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Panel Colour in Bits	6
Scanning FrequencyVGA/DP1.2/HDMI1.4 : 30 -160KHz (H) VGA : 50 -146 Hz (V) DP1.2/HDMI1.4 :48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL , CZ, RU, KR, CN (T), CN (S),	Active Screen Area (HxW)	527,04(H)mm X 296,46(V)mm mm
DP1.2/HDMI1.4 :48-146Hz (V)Response Time (MPRT)1 msContrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S),	Pixel Pitch	0.2745
Contrast (static)1000:1Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Scanning Frequency	
Contrast (dynamic)80M:1Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Response Time (MPRT)	1 ms
Brightness (typical)250 cd/m²Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S),	Contrast (static)	1000:1
Viewing angle (CR10)178/178 °Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S),	Contrast (dynamic)	80M:1
Hard Glass3HOSD languagesEN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S),	Brightness (typical)	250 cd/m ²
OSD languages EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S),	Viewing angle (CR10)	178/178 º
	Hard Glass	3Н
	OSD languages	

Exterior

Monitor colour	Black
Bezel Type	Frameless
Removable Stand	1

Ergonomics

Vesa Wallmount	100x100
Tilt	3.5/21.5 °
Swivel	-30/30 °
Pivot	✓
Height Adjust Amount	130mm

Multimedia

Audio Input	Line in
Built-in Speakers	2 W x 2
Audio output	Headphone out (3,5mm)

Connectivity and Multimedia

Signal Input	HDMI 1.4 x 2, DisplayPort 1.2 x 1, VGA
USB input	USB 3.0 x 4
USB Hub	
USB out ports	4
USB fast charge	4

What's in the Box?

HDMI cable	1,8 m
Displayport Cable	1,8 m

Power / Environmental

Powersupply	Internal
Powersource	100 - 240V 50/60Hz
PowerConsumption On (Energystar)	21 watt
PowerConsumption Standby (Energystar)	0.3 watt
PowerConsumption Off (Energystar)	0.3 watt
EnergyClass	A

Approbations / Regulations

TUV-Bauart	×
CE	1
FCC	
EAC	
ISO 9241-307 class l	1

Dimensions / Weights

Product dimensions incl base	539.05Wx(374.61~504.61)Hx227.36 Dmm
Product dimensions excl base	539.05Wx322.1Hx47.2 Dmm
Packaging Dimensions (L \times W \times H)	605(W)*184(D)*492H mm
Product Dimensions (incl base)	539.05W x (374.61~504.61)H x 227.36 Dmm mm
Gross Weight (including package)	6.2 Kg
Net Weight (excluding package)	4.25 Kg

Texts and USP

Marketing title	23.8 inch IPS VGA, DisplayPort 1.2 x 1, HDMI 1.4 x 2 USB 3.0 x 4 FreeSync

Features	
Sync Technology	FreeSync
Sync Range	48-144
Flicker-free	1
Blue Light Technology	Low blue light
Kensington Lock	1