Buy Online or Call Premier Login



About Dell

Community

My Account

Search

Español

Feedback

Monitors

17" a 19"

Dell 19 Monitor | E1916H



+ Closer Look

Reliable performance, essential features.

A reliable and affordable 18.5" monitor with essential features that meet everyday office demands.

- Essential features: HD quality display with VESA-mount compatibility and tilt options, as well as VGA and DisplayPort connectivity.
- Dependable performance: Uncompromising quality testing standards with 3-year warranty and service ensure long-term performance.
- Eco-conscious design: Save energy with power-efficient features.



+ More Images

Overview

Tech Specs



An everyday office essential

Screen performance: View your applications, spreadsheets and more on 18.5 inches of 1366x768 HD clarity, with 16.7 million colors, a color gamut of 85 percent ¹ and a 90° / 65° horizontal / vertical viewing angle.

Plug and view: Compatible with both legacy and current PCs via VGA and DisplayPort connectivity.

Mounting option: Keep your desk clutter-free by mounting your VESA[®] compatible monitor on the wall or using the optional Dell Single Monitor Arm, detailed below.

Tilt at will: Work comfortably by tilting the monitor 5° forward or 21° backward.

Convenient controls: Easily access buttons for power, brightness, contrast and customizable preset modes on the monitor's front panel.

Eco-conscious and reliable

Peace of mind included: Relax knowing that your Dell monitor comes with a 3-year Advanced Exchange Service² within its 3-Year Limited Hardware Warranty.³

Reduced footprint: The Dell 19 Monitor features PowerNap technology that reduces screen brightness or puts the monitor in sleep mode when it's not in use. This monitor also meets the latest regulatory and environmental standards:

ENERGY STAR[®] Qualified EPEAT[®] Silver Rated⁴



CECP Certified TCO Certified Displays

Environment-friendly materials: Your new Dell monitor is made with arsenic-free glass and a mercury-free LED panel. Its circuit boards are made from brominated flame retardant (BFR)- and PVC-free laminates.

Complete your Dell Monitor experience

Your Dell 19 Monitor is just the start. Look for these great additions when finalizing your purchase.



Dell Single Monitor Arm – MSA14Attach your monitor panels with a simple snap and enjoy the flexibility of an articulating Dell monitor arm.



Dell Wireless Keyboard & Mouse Combo - KM632 Get the freedom of wireless computing carbon tempered steel cable

Get the freedom of wireless computing with this sleek and stylish wireless keyboard and mouse bundle.



Protect your monitor with a super-strong carbon tempered steel cable featuring a patented T-bar keyed locking mechanism.



Limited Hardware Warranty

Because it is backed by a 3-Year Limited Hardware Warranty ³ and Advanced Exchange Service², you can purchase your **Dell 19 Monitor – E1916H** with confidence.

Do more with Dell	About Dell	Legal	Community
PartnerDirect	Company Information	Ads & Emails	The Dell Community
The power to do more	Corporate Social Responsibility	Privacy	Read our Blog
TechCenter	Customer Engagement	Legal & Regulatory	Support Forums
	Careers	Terms of Sale	Events
	Dell Newsroom		

14

St. Vincent & Grenadines

Terms of Sale | Privacy | Ads & Emails | Legal & Regulatory | Policies | Regulatory Compliance | Contact Us | Feedback

snWW14

Tech Specs Overview Dell 18 Monitor | E1916H Display Connectivity DΒ Calor: VCA Black Diagonally Viewable Size: 18.51 inches. Aspect Ratio: Widesergen (16:9) Penel Type, Surface: Optimal resolution: 1866 × 765 at 60 Hz Preset Display Area (H x V): 94417.92 sq-mm (146.35 sq-inchea). Contrast Ratio: 600:1 (typical) Brightness: 200 cd/m² (troical) Response Time: 5 ms typica (Black to While). Viewing Angle: 66" vertical /80" horizontal. Adjustability: Till Color Support: 16.7 million colors Pixel Pitch: 0.30 x 0.30 mm Becklight Technology: WLED. Display Type: Widespreen Panel Display Displey Screen Coating: Anti-Glare with 5h hardness. Audio Output: No. Features Security: Security lock and (cable lock and separately): Bat Panel Mount Interface: VESA (100 mm). **Built-in Devices** NA. Size and Weight Dimensions (With Stand): Height (compressed / extended):

```
Death: 187.0 mm (8.57%)
Dimensions (Without Stand):
Helght: 266.0 mm (* 0.47*).
Width: 445.4 mm (17.54%)
Depth: 51.5 mm (2.035)
Weight (panel only - for VESA mount):
2.28 kg (4.98 lb)
Weight (with packaging):
3.80 kg (7.84 lb)
 Environmental and Regulatory
Electrical
                                                             Environmental
Voltage Required:
                                                            Temperature Range Operating:
100 WAC to 240 WAC / 50 Hz or 60 Hz ± 8 Hz / 1.0 A (Noted!).
                                                            0 °C to 40 °C (82 °F to 104 °F)
Power Consumption (Operational):
                                                            Temperature Range Non-operating:
14 W (Typical), 13.3W (Energy Ster).
                                                             Storage : -20 °C to 80 °C (-1 °F to 140 °F).
Power Consumption Stand by / Sleep:
                                                            Shipping: -20 °C to 80 °C (-4 °F to 140 °F).
ess than 0.3 W
                                                            Humidity Range Operating:
                                                             10% to 80% (non-condensing).
                                                             Humidity Range Non-operating:
                                                             Storage: 5% to 90% (non-condensing).
                                                             Shipping: 5% to 80% (non-concensing)
                                                            Attitude Operating:
                                                            5 000 m (16,404 t) (maximum).
                                                             Attitude Non-operating:
                                                             12.191 m (40.000 fb (maximum)
Compliance and Standards
                                                             What's in the box
ENERGY STAR
                                                             Monitor
EPEAT Silver*
                                                             Stand.
                                                             VESA Screw Cover
CECP
                                                            Power Cable (varies by country)
Product Safety, EMC and Environmental Datasheets.
Dell Regulatory Compliance Home Page
                                                             DP Cable
Delt and the Environment
                                                            Divers and Decumentation Media (CD):
```

Onick Setup Guide

Safety and Regulatory Information

309.0 mm (14,13") Width: 445.4 mm (17,54")