HANNSpree

Experts in **Display**

HT 248 PPA

23.8" / 60,45 cm Diagonal LED Backlight – Format 16:9

- 23.8" Touch Monitor LED Backlight
- P-Cap 10-Point Touch
- 1920 x1080 Full HD Display
- 178° / 178° Ultra Wide Viewing Angle
- Anti-Glare
- Aspect Ratio 16:9
- Display Port + HDMI + VGA Inputs
- HUB USB 3.0: 1 up, 2 down
- Edge-to-Edge Glass and Ultra-Slim Design
- Built-In Stereo Speakers
- Wall-Mountable (VESA)
- Ergonomic Smart adjustable stand
- HDMI Cable Included

SIZE, RESOLUTION



23.8" 16:9 Aspect Ratio



Display Solutions



64/4,T-84

OTTOL OF STREET, SALES

CONNECTIVITY, SPEAKER

Display Port

Stereo Speaker

HDMI

VGA

Built-In



ULTRA-MIDE VEWING ANGLI

178° Ultra-Wide

Viewing Angle

Wall-Mountable

VESA





TOUCH DISPLAY FEATURES









23.8" / 60.45 cm

Part. No..: HT 248 PPA



HANNSDIGE

HANNspree

Experts in **Display**

Display Size	60,45cm / 23.8" Diagonal	
Panel Type	TFT – LED Backlight	
Aspect Ratio	16:9	
Resolution (H x V)	1920 x 1080 Full HD	
Brightness	300 cd/m² (Panel) – 250 cd/m² (Monitor)	
Contrast	3.000:1 (Typical) - 10.000.000:1 (Active)	
Viewing Angle L/R; U/D	178° H – 178° V (CR >10)	
Response Time	8 msec	
Pixel Pitch	0,2745 (H) x 0,2745 (V) mm	
Touch Type	Projected Capacitive Type – 10 Point Touch	
Panel Surface	Anti Glare Film, Haze: 10%	
Display Colors	16.7M Colors	
Horizontal Frequency	31 ~ 83 kHz	
Vertical Frequency	56 ~ 75 Hz	
Max Display Frequency	1920 x 1080 @ 60Hz	
Input 1	D-Sub (VGA)	
Input 2	HDMI	
Input 3	Display Port	
Buil-in Speakers	Yes, 1.5W x 2; Earphone Audio Out x 1	
Power Consumption	On: 18W; Stand-by: 0,19W; Off: 0,18W	
AC Power Range	External Power Adaptor: Input: AC 100 ~ 240 Volt; 50 ~ 60 Hz Output: 12V – 3A	
Product Dimensions	549.84 x 49.15 x 333.2 mm (W x D x H)	
Packing Dimensions	630 x 123 x 439 mm (W x D x H)	
Net / Gross Weight	4.5 Kgs / 6.1 Kgs	
Bezel & Color Plan	Bezel: Black texture; Back cover: Black texture; Arm: Metal black	

© 20	19 HANNSpree, Inc. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ
slight	ly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not
be av	ailable for purchase in your particular country or locality. Please check with your local HANNspree authorized representatives for the availability of specific
produ	ucts in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

VESA Mounting	100 x 100 mm	
Monitor Stand	Smart Adjustable Stand ("book" type)	
Tilt / Kensington Lock	15° ~ 70° (+1/-3°) / Yes	
Display Protection	Thickness 1.2 ± 0.1 mm; Material OGS	
Hardness / Transmittance	≥3H Toughened hard panel surface / ≥87%	
Controls	Menù, Bri (+), Vol (-), Input/Enter, Power	
Color	Warm, Natural, Cool, User Mode	
Preset Mode	PC, Movie, Game, ECO Modes	
On Screen Display	15 OSD Languages	
Accessory	Power Cable (1,5m); HDMI Cable (1,5m); USB 3.0 (B-A) Cable (1,8m); Warranty Card; Quick Start Guide	
Other Features	USB 3.0 HUB: 1 Up stream, 2 Down stream	

Supplier's Name	HANNspree
Model Name	HT248PPA
Energy Efficiency Class	A+
Screen Size (Centimetres)	60,50
Screen Size (Inches)	23,80
On mode power Consumption (W)	18
Annual Energy Consumption* (kWh)	27
Standby-mode Power Consumption (W)	0,19
Off-mode Power Consumption (W)	0,18
Screen Resolution	1920 x 1080

PART. NO.: HT 248 PPA

ENERG 28

HANNSDIE HT 248PPB HIKEITSD

A+

27

kWh/annum

23.8 inch

- A.*

EMERGIA - CHEPTWE EMEPTEIA - ENEPTOLIA EMERICI - ENEPTOLE EMERICI

60,5 crm 2018/1862 - 2017

18 Wett

* Energy consumption XYZ kWh per year, based on the power consumption of the television operating 4 hours per day for 365 days. The actual energy consumption will depend on how the television is used.



HANNspree

Experts in **Display**

