HANNspree

15.6" USB Type-C Portable Touch Monitor

Experts in **Display**

HT 161 CGB

15.6" / 39,6cm Diagonal LED Backlight – Format 16:9

Create a dual-display mobile workspace almost anywhere with the HANNspree 15.6" Portable Touch Monitor. ...adding a second monitor has never been so easy.

- 1920 x 1080 Resolution
- Full HD 1080P
- 10-Point Touch
- 170° / 170° Wide Viewing Angle
- USB 3.1 Type-C x 2 (Power Supply & Signal)
- Mini-HDMI x 1
- Cover Glass (≥7H Hardness)
- Built-in Stereo Speakers
- Low Blue Light Mode
- Ultra-slim and sleek ultra-portable design
- · Lightweight protective cover foldable stand











15.6" / 39,6 cm

Part. No.: HT 161 CGB

SIZE, RESOLUTION



15.6"

16:9 Aspect Ratio



Full HD 1920 x 1080

CONNECTIVITY



USB 3.1 Type-C x 2



Mini-HDMI

மும

Built-In Stereo Speakers

OTHER FEATURES



10-Points Touch



Ultra-Slim Bezel and thin profile



Hard Glass Protection



Display Size

15.6" USB Type-C Portable Touch Monitor

Experts in **Display**

Display Size	39.6 cm / 15.6 Diagonal	
Panel Type	TFT – LED Backlight Technology (ADS Panel*)	
Aspect Ratio	16:9	
Resolution (H x V)	1920 x 1080 Full HD	
Brightness	250 cd/m ² (Panel) – 220 cd/m ² (Monitor)	
Contrast (Typ.)	800:1 (Typical)	
Contrast (Active)	10.000.000:1 (Active)	
Viewing Angle L/R; U/D	170° H / 170° V (CR > 10)	
Response Time	15 msec	
Pixel Pitch	0.17925 (H) X 0.17925 (V) mm	
Touch Type	Self Capacitance - 10 Points Touch	
Display Colors	262K Colors (6-bit)	
Horizontal Frequency	31 ~ 81 kHz	
Vertical Frequency	56 ~ 75 Hz	
Max Display Frequency	1920 x 1080 @ 60Hz	
Input 1	USB 3.1 Type-C x 2 (Power supply & signal) USB 3.1: Power Supply Standard 20V/5A Transmission rate: 10Gbps	
Input 2	Mini HDMI x 1	
Speakers	Yes, 0.5W x 2; Earphone Jack	
Power Supply	USB 3.1 Type-C DC Input	
Power Consumption	On: 7.26W; Stand-by: 0.30W; Off: 0,29W	
Product Dimensions	355.4 x 11 x 222.88 mm (W x D x H)	
Packing Dimensions	428 x 76 x 290 mm (W x D x H)	
Net / Gross Weight	770 grams / 2300 grams	
EAN	4711404023064	

39.6 cm / 15.6" Diagonal

ENERG OC HANNSPIECE HILLIONSPIECE
A*;
Hercon Deliving Instrict Investor (orbital Deliving (orbital Deliv
2010/2004 - 3020

VESA Mounting	N/A	
Tilt / Swivel	NA / N/A	
Kensington Lock	N/A	
Key Pad	Remote sensing buttons	
Display Protection (Cover glass)	Type: AF Glass Thickness: 0.55mm	
Hardness / Transmittance	≥7H Toughened hard panel surface / 88%	
Color	sRGB, Bluish, Cool, Native, Warm, User Mode	
Preset Mode	Standard, Game, Movie, Web, Text Modes	
On Screen Display	14 Languages	
Accessories	Type-C to Type-C Cable (1 mt); Type-A to Type-C Cable (1 mt); HDMI – Mini HDMI Cable (1 mt); Warranty Card; Quick Start Guide; Protective Cover / Foldable Stand	
Other Features	Low Blue Light Mode	

Supplier's Name	HANNspree
Model Name	HT161CGB
Energy Efficiency Class	A+
Screen Size (Centimetres)	39,6
Screen Size (Inches)	15,60
On mode power Consumption (W)	8
Annual Energy Consumption* (kWh)	11
Standby-mode Power Consumption (W)	0,30
Off-mode Power Consumption (W)	0,29
Screen Resolution	1920 x 1080

PART. NO.: HT 161 CGB



* "ADS" word mark / trademark and related patents on technologies belong to their respective owners.

Display Solutions



15.6" USB Type-C Portable Touch Monitor

Experts in **Display**










15.6" USB Type-C Portable Touch Monitor

Experts in **Display**



15.6" USB Type-C Portable Touch Monitor

Experts in **Display**

