

Name Case color Type-model Panel Viewable image size Max view area (W x H) Optimum resolution Aspect ratio Pixel pitch (mm) Dot/Pixel per Inch Brightness Contrast ratio Pixel response time Color gamut Viewing angle at 10:1 CR Stand Bezel width Dimensions (HxWxD, including stand) Power supply Weight Limited warranty Available date		T1714p Square Flat Panel Monitor Black 60FELAT1US / 60FELAR1US / 60FELAT1EU TFT-LCD, twisted nematic (TN), White LED backlight 17.0" (432mm) diagonal 13.3" x 10.6" (337.9mm x 270.3mm) 1280x1024 5:4 0.264mm 96 dpi 250 nits or cd/m² (typical) 1000:1 (typical) 5ms (typical) 72% 170° (+/- 85°) horizontal, 160° (+/- 80°) vertical Tilt height adjustable stand Sides: 0.69" (17.5mm) 17.63" H x 14.74" W x 9.61" D; 447.9mm H x 374.5mm W x 244.2mm D 14.0 watts typical, 18.0 watts maximum, <0.5 watts standby/suspend, universal, integrated (no external brick-like power supply) 8.71 lb; 3.95kg 3 year (includes backlight) September 2015		Features • 17-inch Square LCD monitor • Supports SXGA 1280x1024 resolution • Includes dual input connection for attachment to two systems concurrently (analog and digital) • Mercury Arsenic free glass • Supports Lenovo Tiny PC and 3rd party thin client via optional Lenovo bracket • Microsoft® Windows® 7 certified • Microsoft Windows 8 certified • Microsoft Windows 8.1 certified • Microsoft Windows 10 certified							
VESA-compliant Power management Ergonomics Emission standards Environmental		VESA DDC2B/CI ENERGY STAR® 7.0 ISO 9241-307 FCC Class B TCO Displays 7.0, TCO Certified Edge 2.0, WEEE, RoHS, EPEAT™ Gold rating		 ThinkVision T1714p Monitor							
Preset resolutions		VGA: 640x350, 640x480, 720x400 SVGA: 800x600 XGA: 1024x768, 1152x864, SXGA: 1280x800, 1280x1024									
Presets / user settings		Standard presets: 22; user settings: 22									
Viewing adjustments Rotating screen On screen display Control features Multiple input Monitor connectors		Tilt: 22° back, -5° forward; lift: 4.3" (110mm) None On screen display with digital user controls (8 languages) Direct access (buttons on front) for automatic image setup and brightness Dual input (two different PCs attach to two different connectors; one PC shows image; select via button) (1) VGA 15-pin D-shell, analog, blue (2) Digital Visual Interface (DVI-D), digital, white, HDCP-compliant (3) DisplayPort, digital, black, HDCP-compliant									
Signal cables		(1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DVI-D at each end, digital, 1.8 meter									
Mounting features Security		Wall or desk mounting using the Extend Arm or third-party accessories meeting the VESA FPMPI® (100mm mount) Security keyhole for attachment of optional cable lock (Kensington® lock-compatible)									
Ship group		Monitor and stand, Setup poster, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DVI-D cable, 1.8 meter black power cord									
Limited Warranty See details at http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281		Accessories <table><tr><td>Kensington MicroSaver Cable Lock</td><td>73P2582</td></tr><tr><td>Kensington Twin Head Cable Lock</td><td>45K1620</td></tr><tr><td>Lenovo Easy Reach Monitor Stand</td><td>55Y9258</td></tr></table> See details at www.lenovo.com/support/monitoraccessories See all monitors at www.lenovo.com/thinkvision				Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620	Lenovo Easy Reach Monitor Stand	55Y9258
Kensington MicroSaver Cable Lock	73P2582										
Kensington Twin Head Cable Lock	45K1620										
Lenovo Easy Reach Monitor Stand	55Y9258										

Model	60FELAT1EU
Product	ThinkVision T1714p
Region	EMEA
Color	Black
Panel	Twisted Nematic
Display Size	17"
View Area	337.9x270.3 mm
Resolution	1280x1024
Aspect Ratio	5:4
Pixel Pitch	0.264x0.264 mm
Dot / Pixel Per Inch	96 dpi
Brightness	250 nits
Contrast Ratio	1000:1
Pixel Response Time	5 ms
Color Gamut	72%
View Angle (H / V)	170 / 160
Stand	Tilt, Height Adjustable Stand
Side Bezel Width	17.5 mm
Dimensions with Stand (HxWxD)	447.9x374.5x244.2 mm
Power Consumption (Typical / Maximum)	14W / 18W
Power Adapter	External
Weight (Including Stand)	8.69lb / 3.95kg
Warranty	3-year
ENERGY STAR	ENERGY STAR 6.0
TCO	TCO 6.0
EPEAT	Gold
Presets / User Settings	17 / 17
On Screen Display	OSD, 8 Languages
USB Port	None
Speaker	None
Camera	None
Multiple Input	VGA, DVI, DP
Monitor Cable	VGA, DVI
CPU / Platform	None / None
Display Ram / Storage / Card Slot	None / None / None
Wireless / Ethernet / Bluetooth	None / None / None
Touch Screen / Digitizer Pen / Battery	None / None / None
Operating System	Support Windows 7, Windows 8, Windows 8.1, Windows 10
Ann Date (mm/yy)	09/15



