ThinkVision T2254p 61BAMAR2US

Region

US

Color Raven Black

Panel Twisted Nematic

Display Size 22"

View Area 473.8x296.1 mm

Resolution 1680x1050

Aspect Ratio 16:10

Pixel Pitch 0.282x0.282 mm

Dot / Pixel Per Inch 90 dpi

Brightness 250 nits

Contrast Ratio 1000:1

Pixel Response Time 5 ms

Color Gamut 72%

View Angle (H / V) 170 / 160

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Side Bezel Width 17.1 mm

Dimensions with Stand (HxWxD) 371.7x509.3x242.7 mm

Power Comsuption (Typical / Maximum) 20W / 25W

Power Adapter Integrated

Weight (Including Stand) 10.14lb / 4.60kg

Warranty 3-year ENERGY STAR ENERGY STAR 6.0

TCO TCO 7.0

EPEAT Gold

Presets / User Settings 28 / 20

On Screen Display OSD, 8 Languages

USB Port None

Speaker None

Camera None

Multiple Input VGA, HDMI, DP

Monitor Cable VGA, DP

CPU / Platform None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Operating System Support Windows 7, Windows 8, Windows 8.1, Windows 10

Ann Date (mm/yy) 03/15

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX -Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries

www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2018. All rights reserved.





Lenovo ThinkVision T2254p Wide

Product Specifications Reference (PSREF)

Name	T2254n Wide Elet Denel Meniter	Factures
Bezel color	T2254p Wide Flat Panel Monitor Raven black	Features • Widescreen 22.0-inch monitor
Type-model	61BAMAR2US / 60E1MAR2US / 60CCMAR2US /	Supports 1680x1050 resolution
Panel	60CCMAT2EU / 61BAMAT2EU TFT-LCD, twisted nematic (TN), White LED backlight	Supports ThinkCentre Tiny Clamp Bracket
Viewable image size	22.0 " (559mm) diagonal	 Supports optional soundbar Includes dual input connection for attachment to two
Max view area (W x H)	18.70" x 11.70" (473.8mm x 296.1mm)	systems concurrently (analog and digital)
Native resolution Aspect ratio	1680x1050 16:10	EPEAT Gold certified
Pixel pitch (mm)	0.282 x 0.282 mm	Microsoft® Windows® 7 certified
Dot/Pixel per Inch	90 dpi	Microsoft Windows 8 / Windows 8.1 certified Microsoft Windows 10 certified
Brightness Contrast ratio	250 nits or cd/m ² (typical) 1000:1 (typical)	
Pixel response time	5ms (typical)	
Color gamut	72%	
Viewing angle at 10:1 CR Stand	170° (+/- 85°) horizontal, 160° (+/- 80°) vertical Tilt, swivel, pivot, and height adjustable stand	
Bezel width	Sides: 0.67" (17.1mm)	
Dimensions (HxWxD)	14.63" H x 20.01" W x 9.55" D;	and the second se
Device events	371.7mm H x 509.3mm W x 242.7mm D	
Power supply	20 watts typical, 25 watts maximum,	and the second se
	<0.5 watts standby/suspend, universal,	and the second se
	integrated (no external brick-like power supply)	and the second
Weight Limited warranty	10.14 lb; 4.60 kg 3 year (includes backlight)	
Available date	March 2015	
VESA-compliant	VESA DDC2B/CI	
Power management	ENERGY STAR® qualified	
Ergonomics	ISO 9241-307	
Emission standards Environmental	FCC Class B TCO Displays 7.0, TCO Certified Edge 2.0, WEEE,	
Linnonnai	RoHS, EPEAT [™] Gold rating	kenave
Preset resolutions	VGA: 640x350, 640x480, 720x400	
	SVGA: 800x600	
	XGA: 1024x768, 1152x864 SXGA: 1280x1024	
	WXGA: 1280x768, 1280x800, 1366x768	
	WXGA+: 1440x900	
Presets / user settings	WSXGA+: 1600x900, 1680x1050 Standard presets: 28;	
Tresets / user settings	user settings: 20	ThinkVision T2254p Wide Monitor
Viewing adjustments	<i>Tilt:</i> 30° back, -5° forward; <i>lift:</i> 4.3" (110mm); <i>swivel:</i> +/	-45°; detachable stand
Rotating screen	Screen pivots 90 degrees from landscape to portrait	
On screen display Control features	On screen display with digital user controls (8 language Direct access (buttons on front) for automatic image s	es) atus, dual input and brightness
USB hub	None	etup, duai iriput and brightness
Multiple input	Dual input (two different PCs attach to two different co	nnectors; one PC shows image; select via button)
Monitor connectors	 (1) VGA 15-pin D-shell, analog, blue (2) HDMI (1.4), digital, HDCP-compliant 	
	(3) DisplayPort, digital, black, HDCP-compliant	
Signal cables	(1) detachable, VGA 15-pin D-shell at each end, analo	g, 1.8 meter
Mounting features	(2) detachable, DisplayPort at each end, digital, 1.8 me Wall or desk mounting using the Extend Arm or third-p	
Security	Security keyhole for attachment of optional cable lock	(Kensington® lock-compatible)
Ship group	Monitor with stand, Safety and Warranty Information,	I.8 meter analog signal cable, 1.8 meter DP signal cable,
	1.8 meter black power cord	
	Limited Warranty	Accessories
	port.lenovo.com/en_US/guides-and-manuals/de-	Kanainsten Misse Course Onthe Lock
tail.page?DocID=UM008	8281	Kensington MicroSaver Cable Lock73P2582Kensington Twin Head Cable Lock45K1620
		Tonongton Twitt Leau Cable Lock 451(1020
		See details at www.lenovo.com/support/monitoraccessories
		See all monitors at www.lenovo.com/thinkvision
		Lenovo

November 2016

ThinkVision T2254p











