Lenovo C22-25 66AFKAC1TK

Product

Lenovo C22-25

Machine Type 66AF

Region EMEA

Display Size 21.5"

View Area 476.64x268.11 mm

Panel Twisted Nematic

Aspect Ratio 16:9

Resolution 1920x1080

Pixel Pitch 0.2483x0.2483 mm

Dot / Pixel Per Inch 102 dpi

View Angle (H / V) 90 / 65

Pixel Response Time 5 ms (Extreme mode) / 5 ms (Typical mode)

Refresh Rate 75 Hz (Only for HDMI imput)

Brightness 200 nits

Contrast Ratio 600:1

Color Gamut 72% NTSC

Multiple Input HDMI, VGA

USB Port None

Camera None

Speaker None

Power Consumption (Typical / Maximum) 14W / 16W

Power Adapter Integrated

Stand Tilt Stand

Color Raven Black Side Bezel Width

Dimensions with Stand (HxWxD) 386.4x507.2x206.2 mm

Weight (Including Stand) 5.97 lbs / 2.71 kg

Monitor Cable

ENERGY STAR None

TCO None

EPEAT None

Low Blue Light / Eye Comfort / Eyesafe Display Low Blue Light

Base Warranty 3-year

Operating System Support Support Windows 7, Windows 10

Sync Technology None

CPU / Platform / Tiny Support None / None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

EAN / UPC / JAN 0195042742978

Announce Date 2020-07-31

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2021. All rights reserved.



Lenovo C22-25

DISPLAY

Panel Size 21.5-inch

Screen Dimensions 476.64 mm x 268.11 mm

Panel Type TN

Backlight WLED

Aspect Ratio

Resolution 1920 x 1080

Pixel Pitch 0.2483 x 0.2483 mm

Dot/Pixel Per Inch (DPI/PPI) 102

Viewing Angle (H x V @ CR 10:1) $90^{\circ} / 65^{\circ}$

Response Time 5ms (Extreme Mode) 5ms (Normal Mode)

Refresh Rate 75 Hz*

Brightness (typical) 200 cd/m²

Contrast Ratio (typical) 600:1

Dynamic Contrast Ratio (typical) 3M:1 Color Gamut 72% NTSC (CIE 1931)

Color Support (typical) 16.7 Million

Color Depth 8-bit

Anti-glare Yes

CONNECTIVITY

Video Signal 1 x HDMI 1.4 1 x VGA

Audio Signal 1 x Audio Out (3.5 mm)

POWER

Power Consumption (typical/max) 14W / 16W

Power Consumption Sleep/Off Mode < 0.5W/ <0.3W

Power Consumption Switch-off Mode 0.3W

Power Supply Internal

Voltage Required AC 100-240V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back) -5° / 22° **VESA Mount Capability** Yes (100 x 100 mm)

ThinkCentre M Series Tiny support Yes, by Tiny VESA mount II (PN: 4XF0N03161)

Kensington Lock Slot Yes

Cable Management

Bezel Color Raven Black

Bezel Width (side)

Bezel Width (top/bottom) 17.3 / 23.9 mm

DIMENSION

Size Packed (D x H x W, mm/inch) 118 x 390 x 594mm / 4.60 x 15.40 x 23.40 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 206.2x 386.4 x 507.2mm / 8.12 x 15.21 x 19.97 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 206.2x 386.4 x 507.2mm /

8.12 x 15.21 x 19.97 inches

Size Unpacked w/o stand (Head Only) (D x H x W)(mm/inch) 51.1x 310.7 x 507.2mm /

2.05 x 12.23 x 19.97 inches

Weight Packed (kg/lbs.) 4.38 kg / 9.66 lbs.

Weight Unpacked (kg/lbs.) 2.71 kg / 5.97 lbs.

Weight (Monitor Head Only) (kg/lb) 2.40 kg / 5.29 lbs.

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x HDMI cable (1.8 m) (NA& LA &AP only) 1 x VGA cable (1.8m)(EMEA only) Quick setup guide

CERTIFICATION

CCC Yes

> RoHS (EU 2002/95/EC) Yes

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 2

TÜV Rheinland Low Blue Light Yes

TÜV Rheinland Flicker Free Yes





*75Hz only for HDMI input

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks of others. Lenovo C22-25







