THINKVISION T27h

WORK IS NOW MORE COMFORTABLE AND HEALTHIER WITH NATURAL LOW BLUE LIGHT TECHNOLOGY



CRAFTED FOR SUPERIOR WORK EXPERIENCE

Boost productivity at work with the ThinkVision T27h-2L. This USB-C Hub Monitor allows you to complete data-intensive work and edit content efficiently. The 27-inch In-Plane Switching panel displays accurate and clear details from all angles, while its QHD resolution—with 1.77 times more pixels than a Full-HD display—enhances visual clarity for business professionals. Its 3-side NearEdgeless screen makes it easy to create a multi-screen setup for seamless multitasking. Natural Low Blue Light technology and Eyesafe Display Certification accurately reproduce colors, eliminate the yellowish tint from your display, and reduce harmful blue light, ensuring your eyes experience minimal fatigue. Maximize your desk space with the USB Type-C¹ one-cable solution that comes integrated with Smart Power² for better connectivity and power efficiency.

FEATURES OF THINKVISION T27h-2L



High-performance Display Solution

The 2560 x 1440 resolution and 27-inch display mean more pixels that offer greater details and make working on large spreadsheets and designs a breeze. Professionals can set up a multi-screen workspace, with 3-side NearEdgeless bezels on the ThinkVision T27h-2L USB-C Hub Monitor for effortless multitasking. Thanks to the 99% sRGB color gamut, you can get crisp and vibrant images with realistic colors, perfect for content creation. Lenovo exclusive ThinkColour software³ lets you effortlessly adjust advanced display settings using the mouse, enhancing efficiency and user experience.



Smart Connectivity

Get improved connectivity with the USB Type-C¹ one-cable solution that covers power, data, video, and audio transfers from a single port. Connect your monitor to ThinkCentre Nano PC⁴ via USB Type-C¹ and get a unified, AIO-like experience. Start instantly by simply using your monitor's power button to control both devices and switch on the Nano PC. Multitask seamlessly on this USB-C Hub Monitor by connecting to different devices like a laptop or smartphone. Additionally, the Smart Power² function detects overall power consumption and dynamically manages the power delivery to each device. Enjoy up to 75W⁵ of power delivery through the USB Type-C¹ cable with Smart Power²



Ergonomic and User-friendly Design

This monitor is a smart choice for all businesses. It comes with Natural Low Blue Light technology and Eyesafe Display Certification that do not compromise on your health or the color performance. This means, you work without worrying about eyestrain. The increased lift range and tilt angle, along with swivel and pivot functionality, let you adjust the screen for easy collaboration and comfortable viewing. An integrated phone holder, VESA mount, minimized square base, and flexible cable management ensure you have a clutter-free desk space.

ThinkVision T27h-2L

DISPLAY

Panel Size 27-inch

Screen Dimensions 596.74 mm x 335.66 mm

Panel Type 3-side NearEdgeless In-Plane Switching

Active Area 596.74 mm x 335.66 mm

Backlight WLED

Aspect Ratio 16:9

Resolution 2560 x 1440

Pixel Pitch 0.2331 x 0.2331 mm

Dot/Pixel Per Inch (DPI/PPI)

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode) 6ms (Normal Mode)

Refresh Rate

Brightness (typical) 350 cd/m²

Contrast Ratio (typical)

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut 99% sRGB

Color Support (typical) 16.7 Million

Anti-glare Yes

CONNECTIVITY

Video Signal

1 x USB Type-C¹ Gen1
(DP 1.2 Alt Mode)

1 x HDMI 1.4

1 x DP 1.2

Audio Signal 1 x Audio Out (3.5 mm)

USB Hub Yes

USB Upstream 1 x USB 3.1 Gen1 (1 by USB Type-C)

USB Downstream 4 x USB 3.1 Gen1 (1 x BC1.2)

SPECIAL FEATURES

Software Lenovo ThinkColour (Lenovo Display Control Center)³

POWER

Power Consumption (typ./max.) 23W / 122W

Power Consumption Sleep/Off Mode < 0.5W Power Consumption Switch-off Mode < ∩ 3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC}) 18.1W / 57.6kWh

Power Supply Internal

USB Type-C Power Delivery (W) up to 75 W⁵

Smart Power² Yes

Voltage Required AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back) -5° / 35°

Swivel Angle (left/right) +45° / -45°

Lift (Max range) 135 mm

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black Bezel Width (side)

2.0 mm

Bezel Width (top/bottom) 2.0 / 23.87 mm

DIMENSION

Size Packed (D x H x W, mm/inch) 694.0 x 163.0 x 480.0 mm 27.32 x 6.42 x 18.90 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 614.0 x 429.4 x 208.0 mm 24.17 x 16.9 x 8.19 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 614.0 x 564.4 x 208.0 mm 2417 x 22 22 x 819 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch) 614.0 x 369.1 x 46.7 mm 24.17 x 14.53 x 1.84 inches

Weight Packed (kg/lbs.) 9.75 kg / 21.50 lbs.

Weight Unpacked (kg/lbs.) 7.6 kg / 16.76 lbs.

Weight (monitor head only) (kg/lbs.) 5.09 kg / 11.22 lbs.

WHAT'S IN THE BOX

Monitor with stand
1 x Power cable (1.8 m)
1 x DP cable (1.8 m) (US & Canada only)
1 x USB Type-C to Type-C cable (1.8 m)
1 x USB Type-C to Type-A cable
(1.8 m) (US & Canada only)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating 8.0 CCC Yes

TCO 8.0

TCO Edge 2.0

EPEAT Silver

RoHS (EU 2002/95/EC) Yes

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 1

TÜV Rheinland Eye Comfort

TÜV Rheinland Low Blue Light (Hardware Solution) Yes

Eyesafe Display Certification





















¹USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum.

²The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device.

³This software can only be used with Windows 10

4Compatible ThinkCentre Nano PCs include ThinkCentre M90n, ThinkCentre M90n IoT, ThinkCentre M75n, and ThinkCentre M75n IoT.

*Compatible ThinkCentre Nano PCs include ThinkCentre M90h, ThinkCentre M90h 101, ThinkCentre M75h, and ThinkCentre M75h 101.
*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gent; 10 Gbit/s for USB 3.2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks of others.