# UltraFine<sup>™</sup> 4K IPS LED Monitor



## Features

#### 4K DISPLAY WITH THUNDERBOLT™

 The LG UltraFine<sup>™</sup> 4K display with Thunderbolt<sup>™</sup> 3 port can transmit 4K video and data while simultaneously charging a new MacBook Pro (up to 85W) over a single cable. Plus, three USB-C downstream ports (USB 5 Gbps) let you connect additional devices as needed.<sup>1</sup>

#### ULTIMATE VISIBILITY

 The LG UltraFine<sup>™</sup> 4K display reaches a brightness of 500cd/m<sup>2</sup> and can express a wide range of color and contrast. You can experience vivid, lifelike images on a 4K screen, which provides a more natural representation.<sup>2</sup>

#### CONSISTENT COLOR AND CLARITY

 This 4K high-definition monitor with IPS minimizes color shift and delivers detailed, accurate images on the UltraFine<sup>™</sup> 4K screen. Color is consistent from edge to edge.

#### **4K DAISY CHAIN**

 Easily establish a multi-monitor environment by connecting two 4K monitors and a laptop using a Thunderbolt<sup>™</sup> 3 cable.

#### CLEAR COMMUNICATION AND ENTERTAINMENT

 The LG UltraFine<sup>™</sup> 4K display has an internal webcam and responsive speakers/microphone that are perfectly suited to entertainment and communication, allowing you to watch movies, and video chat.<sup>3</sup>

#### EASY DISPLAY CONTROL WITH macOS

 Detailed control of display settings such as brightness can be done using macOS without the need to use any physical buttons.

#### MULTI-FUNCTION SCREEN MANAGER

 The LG Screen Manager has been optimized for macOS to provide a variety of multi-screen options. For example, it can automatically divide the screen into two to four frames, according to users' specific needs.

#### CONVENIENT ADJUSTABLE DISPLAY STAND

 LG UltraFine<sup>™</sup> 4K displays have convenient height/tilt adjustment. Users can customize the display height to create a more personal, comfortable workstation, or easily wall-mount the display with the use of a VESA mount bracket.<sup>4</sup>

### Specifications

Native Display Resolution 3840 x 2160

High Brightness 500 nits

Contrast Ratio 1,200: 1

14MS Response Time

Vesa™ Compliant Wall Mountable

3-Year Limited Warranty Parts/Labor/Backlight



# UltraFine<sup>™</sup> 4K IPS LED Monitor



24" class (23.74" diagonal)

PANEL	MODEL	24MD4KLB-B
	Diagonal (in)	23.74"
	Resolution	3840 x 2160
	Panel Type	IPS
	Aspect Ratio	16:9
	Pixel Pitch	0.1369 x 0.1369 mm
	Brightness (Typ.)	500 nits
	Color Gamut (Typ.)	DCI-P3 98% (CIE1976)
	Color Depth (Number of Colors)	1.07B
	Contrast Ratio (Typ.)	1200:1
	Response Time, GtG (ms)	14 (Does Not Support OD)
	Viewing Angle (CR≥10)	178° (R/L), 178° (U/D)
	Surface Treatment	Low reflective treatment
INPUT / OUTPUT	Thunderbolt	YES (v3.0, 1 up/1 dn)
	Thunderbolt USB-C Compatiblity	YES
	Thunderbolt Max. Resolution @ 60 Hz	3840 x 2160
	Thunderbolt Data Transmission	YES
	Thunderbolt Power Delivery (W)	85
	Daisy Chain	YES (UHD/60Hz/via Thunderbolt)
	USB Upstream Port	YES (via Thunderbolt)
	USB Downstream Port	YES (USB-C/3ea/ver3.0)
	Speakers	5W (2Ch)
	Rich Bass	YES

<sup>1</sup>UltraFine 4K display requires a Thunderbolt<sup>™</sup> 3 enabled Mac with Mac OS 10.12.1 or later. <sup>2</sup>The default setting is half of the maximum brightness value, but it can be adjusted. <sup>3</sup>UltraFine 5K display only supports Thunderbolt<sup>™</sup> 3. <sup>4</sup>VESA mount bracket is sold separately.

CTRICAL	MODEL	24MD4KLB-B
	Туре	Built-in Power
	AC Input	100-240 Vac, 50/60Hz
	Typical Power Consumption (W)	140
	Max Power Consumption (W)	200
	Energy Star Power Consumption (W)	34.2 (Energy Star v7.0)
	Sleep Mode Power Consumption (W)	1.0
	Standby Power Consumption (W)	Less than 0.3
CHANICAL	Display Position Adjustments	Tilt / Height
	One-Click Stand	YES
	Wall Mountable	100 x 100 mm
	Dimensions with Stand Up (W x H x D)	21.9" x 20.8" x 9.1" / 556.1 x 528.0 x 229.9 mm
	Dimensions with Stand Down (W x H x D)	21.9" x 16.5" x 9.1" / 556.1 x 418.0 x 229.9 mm
	Dimensions without Stand (W x H x D)	21.9" x 13.0" x 2.0" / 556.1 x 328.7 x 50.3 mm
	Shipping Dimensions (W x H x D)	26.5" x 21.1" x 12.2" / 986 x 536 x 309 mm
	Weight with Stand	15.4 lbs / 7.0 kg
	Weight without Stand	11.5 lbs / 5.2 kg
	Shipping Weight	24.5 lbs / 11.1 kg
NDARDS &	EPA	YES
TIFICATIONS	Energy Star	7.0
	CB	YES
	UL(cUL)	YES
	FCC-B	YES
	ROHS, REACH	YES
IER	Power Cord	Black / 6 ft (1.8m)
	Thunderbolt	Black / 6.5 ft (2.0m)
	USB Type-C	Black / 5 ft (1.5m)
	Wall Mount Cover	YES
	Limited Warranty	3 Year Parts and Labor
	UPC	7 19192 63200 4

http://www.lg.com/us/business/commercial-display

http://www.twitter.com/LGCommDisplays

http://www.facebook.com/LGcommercialdisplays

http://www.linkedin.com/company/lg-commercial-displays-usa

ttp://www.youtube.com/lgcommercialdisplayusa



LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

STA CER

SPEC\_24MD4KLB-B\_081956\_LR

© Copyright 2019 ©LG Electronics USA, Inc., 2000 Millbrook Dr. Lincolnshire, IL 60069, USA. All rights reserved. LG and the LG logo are registered trademarks of LG Corp. All other trademarks are the property of their respective owners. Prices and products may vary by dealer. Prices, designs, features and specifications are subject to change without notice. All screen images are simulated.

In Plane Switching is a trademark of LG Philips LCD Ltd. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective companies.