

Name	LT1913p Square Flat Panel Monitor	Features • 19-inch Square IPS LED backlit panel • Supports 1280x1024 resolution • Supports ThinkCentre Tiny Clamp Bracket • Mercury and arsenic free glass • Low Halogen • Recycled content in plastic material • Microsoft® Windows® 7 certified • Microsoft Windows 8 / Windows 8.1 certified • Microsoft Windows 10 certified								
Case color	Black									
Type-model	60FBHAR1US / 60FBHAT1US / 60FBHAT1EU									
Panel	TFT-LCD, In-Plane Switching (IPS), White LED backlight									
Viewable image size	19.0" (480.0mm) diagonal	 ThinkVision LT1913p Square Monitor								
Max view area (W x H)	14.76" x 11.80" (374.7mm x 299.8mm)									
Optimum resolution	1280x1024									
Max pixel rate	205MHz (VGA), 165MHz (DVI)									
Aspect ratio	5:4									
Pixel pitch (mm)	0.0976 (H) x 0.2928 (V) mm									
Dot/Pixel per Inch	86.8 dpi									
Brightness	250 nits or cd/m² (typical)									
Contrast ratio	1000:1 (typical)									
Pixel response time	7ms (typical)									
Color gamut	72%									
Viewing angle at 10:1 CR	178° horizontal, 178° vertical									
Stand	Tilt, swivel, pivot, and height adjustable stand									
Bezel width	Sides: 0.68" (17.4mm); top: 0.68" (17.4mm); bottom: 0.68" (17.4mm)									
Dimensions (HxWxD)	14.63" H x 16.18" W x 10.40" D; 371.5mm H x 411.0mm W x 264.2mm D									
Power supply	24 watts typical, 27 watts maximum, <0.5 watts standby/suspend, universal, integrated (no external brick-like power supply)									
Weight	10.69 lb; 4.85kg									
Limited warranty ⁴	3 year (includes backlight)									
Available date	April 2015									
VESA-compliant ²	VESA DDC2B/CI, EDID 1.3									
Power management	ENERGY STAR® 7.0									
Ergonomics	ISO 9241-307									
Emission standards	FCC Class B									
Environmental	TCO Displays 7.0, TCO Certified Edge 1.1, WEEE, RoHS, EPEAT™ Gold rating, ULE Gold									
Preset resolutions	VGA: 640x350, 640x480, 720x400 SVGA: 800x600, 823x624 XGA: 1024x768, 1152x864, 1152x900 SXGA: 1280x1024									
Presets / user settings	Standard presets: 20; user settings: 20									
Viewing adjustments	Tilt: 30° back, -5° forward; lift: 4.3" (110mm); swivel: +/- 45°									
Rotating screen	Screen pivots 90 degrees from landscape to portrait									
On screen display	On screen display with digital user controls (8 languages)									
Control features	Direct access (buttons on front) for automatic image setup, input switch, and brightness									
Multiple input	Dual input (two different PCs attach to two different connectors; one PC shows image; select via button)									
Monitor connectors	(1) VGA 15-pin D-shell, analog, blue (2) Digital Visual Interface (DVI-D), digital, white, HDCP-compliant									
Signal cables	(1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DVI-D at each end, digital, 1.8 meter									
Mounting features	Wall or desk mounting using the Extend Arm or third-party accessories meeting the VESA FPMPI® (100mm mount)									
Security	Security keyhole for attachment of optional cable lock (Kensington® lock-compatible)									
Ship group	Monitor, attached stand, Setup poster, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DVI-D cable, 1.8 meter black power cord									
Limited Warranty See details at http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281										
Accessories <table><tr><td>Kensington MicroSaver Cable Lock</td><td>73P2582</td></tr><tr><td>Kensington Twin Head Cable Lock</td><td>45K1620</td></tr><tr><td>Lenovo Security Cable Lock</td><td>57Y4303</td></tr><tr><td>Lenovo Easy Reach Monitor Stand</td><td>55Y9258</td></tr></table> See details at www.lenovo.com/support/monitoraccessories See all monitors at www.lenovo.com/thinkvision			Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620	Lenovo Security Cable Lock	57Y4303	Lenovo Easy Reach Monitor Stand	55Y9258
Kensington MicroSaver Cable Lock	73P2582									
Kensington Twin Head Cable Lock	45K1620									
Lenovo Security Cable Lock	57Y4303									
Lenovo Easy Reach Monitor Stand	55Y9258									

Model	60FBHAT1EU
Product	ThinkVision LT1913p Square
Region	EMEA
Color	Black
Panel	In-Plane Switching
Display Size	19"
View Area	374.8x299.8 mm
Resolution	1280x1024
Aspect Ratio	5:4
Pixel Pitch	0.0976x0.2928 mm
Dot / Pixel Per Inch	86.8 dpi
Brightness	250 nits
Contrast Ratio	1000:1
Pixel Response Time	7 ms
Color Gamut	72%
View Angle (H / V)	178 / 178
Stand	Tilt, Swivel, Pivot, Height Adjust Stand
Side Bezel Width	17.4 mm
Dimensions with Stand (HxWxD)	371.5x411.0x264.2 mm
Power Consumption (Typical / Maximum)	24W / 27W
Power Adapter	Integrated
Weight (Including Stand)	10.69lb / 4.85kg
Warranty	3-year
ENERGY STAR	ENERGY STAR 7.0
TCO	TCO 7.0
EPEAT	Gold
Presets / User Settings	20 / 20
On Screen Display	OSD, 8 Languages
USB Port	None
Speaker	None
Camera	None
Multiple Input	VGA, DVI
Monitor Cable	VGA, DVI
CPU / Platform	None / None
Display Ram / Storage / Card Slot	None / None / None
Wireless / Ethernet / Bluetooth	None / None / None
Touch Screen / Digitizer Pen / Battery	None / None / None
Operating System	Support Windows 7, Windows 8, Windows 8.1, Windows 10
Ann Date (mm/yy)	08/13

