

Philips

LCD widescreen monitor

48 cm (19") w E-line

190E1SB

Attractive Dual input display offers great value

Enjoy more with this Vista-ready HD display! With DVI and VGA inputs, Auto format, SmartContrast and Glossy finish, the 190E1 is a great choice for all your needs

Great picture quality

- Ready to display HD content
- SmartContrast 25000:1 for incredible rich black details
- 5ms fast response time
- DVI-D input and HDCP support

Design that complements any interior

- · Glossy finish to enhance your decor
- · Small footprint to blend into any lifestyle

Environmentally friendly green design

- Energy Star for energy efficiency and low power consumption
- · Eco-friendly materials that meets international standards
- Complies with RoHS standards to care for the environment

Great convenience

- Dual input accepts both analog VGA and digital DVI signals
- Easy picture format control switching in wide and 4:3 format



190E1SB/00

Highlights

SmartContrast ratio 25000:1





You want the LCD flat display with the highest contrast and most vibrant images. Philips advanced video processing combined with unique extreme dimming and backlight boosting technology results in vibrant images. SmartContrast will increase the contrast with excellent blacklevel and accurate rendition of dark shades and colors. It gives a bright, lifelike picture with high contrast and vibrant colors.

5ms on/off response time

On-Off response time is the period required for a liquid crystal cell to go from active (black) to inactive (white) and back to active (black) again. It is measured in milliseconds. Faster is better: Lower response time means faster transitions and, therefore, results in fewer visible image artifacts in the display of transition of texts and graphics. On-Off response time is a more important measure in the display of business content like documents, graphs and photos.

Energy Star



Energy Star-labeled home electrical products are designed to use less energy - saving you money while reducing environmental pollution. In fact, Energy Starcompliant products consume less than 1 watt of power while in standby mode. As an Energy Star partner, Philips develops products that meet the

Energy Star guidelines for energy efficiency. This is achieved by having low standby power consumption through innovatively designed standby circuitry and stringent selection of components made with high efficiency materials.

HDCP ready

High-Bandwidth Digital Content Protection (HDCP) is a copyright protection system that is incorporated into the DVI connector. It helps stop unauthorized duplication of copyrighted content. HDCP allows you to play protected content media such as movies and concerts. It checks the signal to prevent piracy, allowing only legal copies of content to display.

Dual input





VSA connector

Dual input provides connectors to accommodate input of both analog VGA and digital DVI signals.

Easy picture format control



Philips easy picture format control on OSD is to switch from the 4:3 aspect ratio to the widescreen mode and back again to match the display's aspect ratio with your content for working with wide documents without scrolling or viewing widescreen media in the widescreen mode and distortion-free, native mode display of 4:3 ratio content.















Issue date 2017-07-28

Version: 1.1.4

12 NC: 8670 000 53919 EAN: 87 12581 48985 4

© 2017 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

Specifications

Picture/Display

- LCD panel type: TFT-LCD
- Panel Size: 19 inch / 48.1 cm
- Aspect ratio: 16:10
- Pixel pitch: 0.285 x 0.285 mm
- Viewing angle: 176° (H) / 170° (V), @ C/R > 5
- Brightness: 250 cd/m²
- SmartContrast: 25000:1
- · Contrast ratio (typical): 1000:1
- · Response time (typical): 5 ms
- Optimum resolution: 1440 x 900 @ 60 Hz
- Display colors: 16.7 M
- Scanning Frequency: 30 -83 kHz (H) / 56 -75 Hz (V)

Connectivity

- · Signal Input: VGA (Analog), DVI-D
- Sync Input: Separate Sync, Sync on Green

Convenience

- User convenience: Auto, Brightness, Menu, Power
- · OSD Languages: English, French, German, Spanish, Italian, Russian, Simplified Chinese, Portuguese,
- Other convenience: VESA mount (100x100mm), Kensington lock
- Plug & Play Compatibility: DDC/CI, Windows 98/ 2000/XP/Vista, Mac OS X, sRGB

Stand

• Tilt: -5/20 degree

Power

- · Power LED indicator: Operation Blue, Stand by/ sleep -blue(blinking)
- Power supply: Built-in, 100-240VAC, 50/60Hz
- On mode: <18W (EnergyStar 5.0 test method)
- Off mode: < 0.5 W

Dimensions

- Product with stand (mm): $358 \times 445 \times 180$ mm
- Product without stand (mm): 297 x 445 x 64 mm
- Packaging in mm (WxHxD): 360 x 518 x 140 mm

Weight

- Product with stand (kg): 3.5 kg
- Product without stand (kg): 3.3 kg
- Product with packaging (kg): 4.9 kg

Operating conditions

- Temperature range (operation): 0°C to 40°C °C
- Temperature range (storage): -20°C to 60°C °C
- Relative humidity: 20%-80 %
- MTBF: 50,000 hour(s)

Sustainability

• Environmental and energy: Energy Star, RoHS

Compliance and standards

• Regulatory Approvals: CE Mark, FCC, Class B, SEMKO, UL/cUL

Cabinet

- Color: Black
- Finish: Glossy