

Name Bezel color Type-model Panel Viewable image size Max view area (W x H) Native resolution Aspect ratio Pixel pitch (mm) Dot/Pixel per Inch Brightness Contrast ratio Pixel response time Color gamut Viewing angle at 10:1 CR Stand Bezel width Dimensions (HxWxD) Power supply Weight Limited warranty Available date	T24d Wide Flat Panel Monitor Black 61B4MAR1US / 61B4MAT1EU TFT-LCD, In-Plane Switching (IPS), White LED backlight 24" (609.6mm) diagonal 20.41" x 12.75" (518.4mm x 324mm) 1920x1200 16:10 0.27 x 0.27 mm 94 dpi 300 nits or cd/m² (typical) 1000:1 (typical) 7ms (typical) 99% 178° (+/- 89°) horizontal, 178° (+/- 89°) vertical Tilt, swivel, pivot, and height adjustable stand <i>Sides:</i> 0.08" (2.0mm) 19.58" H x 20.99" W x 10.25" D; 497.4mm H x 533.2mm W x 260.4mm D 22 watts typical, 64 watts maximum (with USB 3.0 hub), <0.3 watts standby/suspend, universal, integrated (no external brick-like power supply) 12.41 lb; 5.63 kg 3 year (includes backlight) June 2017	Features • Widescreen 24-inch monitor • Supports 1920x1200 resolution • Supports ThinkCentre Tiny Clamp Bracket • Supports optional soundbar • Includes dual input connection for attachment to two systems concurrently • EPEAT Gold certified • Microsoft® Windows® 7 certified • Microsoft Windows 10 certified				
VESA-compliant Power management Ergonomics Emission standards Environmental Preset resolutions Presets display modes	VESA DDC2B/CI ENERGY STAR® qualified ISO 9241-307 FCC Class B TCO Displays 7.0, TCO Certified Edge 2.0, WEEE, RoHS, EPEAT™ Gold rating VGA: 640x480, 720x400 SVGA: 800x600 XGA: 1024x768 SXGA: 1280x1024 WXGA: 1366x768 WXGA+: 1440x900 WSXGA+: 1680x1050 Full HD: 1920x1080 WUXGA: 1920x1200 Standard presets: 22; user settings: 20	 ThinkVision T24d Wide Monitor				
Viewing adjustments Rotating screen On screen display Control features USB hub Multiple input Monitor connectors Signal cables Mounting features Security Ship group	<i>Tilt:</i> 30° back, -5° forward; <i>lift:</i> 4.3" (110mm); <i>swivel:</i> +/-45°; detachable stand Screen pivots 90 degrees from landscape to portrait On screen display with digital user controls (8 languages) Direct access (buttons on front) for power, menu, input source select and brightness USB 3.0 Hub: 1 port into PC (USB 3.0); 4 ports for accessories (4 USB 3.0) Dual input (two different PCs attach to two different connectors; one PC shows image; select via button) (1) VGA 15-pin D-shell, analog, blue (2) HDMI (1.4), digital, HDCP-compliant (3) DisplayPort, digital, black, HDCP-compliant (1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DisplayPort at each end, digital, 1.8 meter Wall or desk mounting using the Extend Arm or third-party accessories, 100mm x 100mm mount Security keyhole for attachment of optional cable lock (Kensington® lock-compatible) Monitor with stand, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DP signal cable, 1.8 meter USB signal cable, 1.8 meter black power cord, 1.8 meter HDMI signal cable (NA only)					
Limited Warranty See details at http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281		Accessories<table><tr><td>Kensington MicroSaver Cable Lock</td><td>73P2582</td></tr><tr><td>Kensington Twin Head Cable Lock</td><td>45K1620</td></tr></table> See details at www.lenovo.com/support/monitoraccessories See all monitors at www.lenovo.com/thinkvision	Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620
Kensington MicroSaver Cable Lock	73P2582					
Kensington Twin Head Cable Lock	45K1620					

Model	61B4MAT1EU
Product	ThinkVision T24d
Region	EMEA
Color	Black
Panel	In-Plane Switching
Display Size	24"
View Area	518.4x324 mm
Resolution	1920x1200
Aspect Ratio	16:10
Pixel Pitch	0.27x0.27 mm
Dot / Pixel Per Inch	94 dpi
Brightness	300 nits
Contrast Ratio	1000:1
Pixel Response Time	7 ms
Color Gamut	99%
View Angle (H / V)	178 / 178
Stand	Tilt, Swivel, Pivot, Height Adjust Stand
Side Bezel Width	2 mm
Dimensions with Stand (HxWxD)	497.4x533.2x260.4 mm
Power Consumption (Typical / Maximum)	22W / 64W
Power Adapter	Integrated
Weight (Including Stand)	12.41lb / 5.63kg
Warranty	3-year
ENERGY STAR	ENERGY STAR 7.0
TCO	TCO 7.0
EPEAT	Gold
Presets / User Settings	22 / 20
On Screen Display	OSD, 8 Languages
USB Port	USB3.0x5
Speaker	None
Camera	None
Multiple Input	HDMI, DP, VGA
Monitor Cable	DP, VGA
CPU / Platform	None / None
Display Ram / Storage / Card Slot	None / None / None
Wireless / Ethernet / Bluetooth	None / None / None
Touch Screen / Digitizer Pen / Battery	None / None / None
Operating System	Support Windows 7, Windows 10
Ann Date (mm/yy)	06/17



