ThinkCentre Tiny-In-One 22 Gen3 10R1PAT1++

Region EMEA

Machine Type

10R1

Color Black

Display Size

21.5"

Multi-touch

No

Resolution 1920x1080

Aspect Ratio

16:9

Pixel Pitch 0.24795 mm

Dot / Pixel Per Inch

102.4 dpi

Brightness

Contrast Ratio

1000:1

250 nits

Pixel Response Time

4-14 ms

Color Gamut

72%

View Angle (H / V) 178 / 178

Stand

Adjustable Stand

Power Comsuption (Typical / Maximum)

19W / 32W

Power Supply 90W 88% Adapter

Warranty 3-year

Ann Date (mm/yy)

07/17

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



is publication was develope

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2017. All rights reserved.



ThinkCentre Tiny-in-One (TIO) 22 Gen3

Product Specifications Reference (PSREF)

Model	Non-touch model: 10R1PAR1++/10R1PAT1++; Touch model: 10R0PAR1++/10R0PAT1++				
Form factor	Tiny-in-One, offers a full All-In-One experience when optional Tiny slots into the back of TIO, clean cabling and effortless setup				
Compatible Tiny:	M910 / M710 / M900 / M700 / M600 / M715 / M93/p* / M83 / M73* / M53 /				
	Chromebox Tiny * Non-TIO models can't be turned on by pressing power button of TIO				
Panel	TFT-LCD, In-Plane Switching technology**, White LED backlight	٦			
Viewable image size	Notes: In-Plane Switching may refer to VA, PLS, and IPS panels 21.5" (546.1mm) diagonal				
Max view area (W x H) Bezel Width	18.74" x 10.54" / 476.1mm x 267.8mm Top / Side: 2mm, Bottom: 22.1mm				
Native resolution	1920x1080				
Multi-touch Aspect ratio	Optional 10-point multi-touch, supports Wake on Touch 16:9				
Pixel pitch (mm)	0.24795mm				
Dot/Pixel per Inch Brightness	102.4 dpi 250 nits or cd/m² (typical)				
Contrast ratio	1000:1 (typical)				
Pixel response time Color gamut	14ms (default), over drive to 4ms, 6ms 72%				
Anti-reflective	Anti-glare Anti-glare				
Preset resolutions	R178° (+/- 89°) horizontal, 178° (+/- 89°) vertical 640x350 @ 70Hz	\dashv			
1 1030t 1030tations	640x480 @ 60Hz, 66Hz, 72Hz, 75Hz				
	720x400 @ 70Hz 800x600 @ 60Hz, 72Hz, 75Hz				
	1024x768 @ 60Hz, 70Hz, 75Hz				
	1152x864 @75Hz 1280x800 @ 60Hz				
	1280x1024 @ 60Hz, 72Hz, 75Hz				
	1366x768 @ 60Hz 1440x900 @ 60Hz, 75Hz				
	1600x1200 @ 60Hz, 70Hz, 75Hz				
	1680x1050 @ 60Hz 1920x1080 @ 60Hz				
Presets / user settings	Presets: 25; user settings: 25				
On screen display Control features	Ftont: Exit button. Left / Mode-switching button (TIO / monitor mode).				
	Right / Brightness button, Enter / Menu button, Power button / Bottom: Volume up button, Volume down button				
Tiny-in-One Power On					
Side ports (TIO)					
0.00 po.10 (1.0)	connected via USB upstream port)				
	Notes: The USB port is only available when a Tiny is istalled or a PC is connected via USB upstream port				
Side ports (Tiny)	Side ports offered by installed Tiny (optional)				
Rear ports 3-in-1 Cable	One DisplayPort in port, one USB upstream port, one power connector Undetachable 3-in-1 cable (Power connecter, USB [supports USB 3.1 Gen1 / USB 2.0], DisplayPort), only for connecting to Tiny installed (optional)				
0					
Camera Internal Speaker	720p camera with dual microphone for VOIP, LED indicator 2 watt x2				
Security	Security keyhole for attachment of optional cable lock (Kensington® lock compatible), locks optional Tiny with TIO together, more security features offered by Tiny installed (optional)				
Mechanical	Dimensions TIO without stand TIO with stand	1			
	W x D x H (inch) 19.26 x 2.85 x 13.35 19.26 x 10.76 x 14.59 - 18.93	\parallel			
	W x D x H (mm) 489.3 x 72.5 x 339 489.3 x 273.3 x 370.7 - 480.7	\parallel			
	Weight (Approx.) 7.01 lb / 3.19 kg 11.77 lb / 5.34 kg	\parallel			
	11-13-11 (TF1-1-17)	긔			

0	Mounting features Adjustable stand	Wall or desk mounting using the extend arm or third-party accessories meeting the VESA FPMPMI® (100mm mount) Tilt: 30° back, -5° forward; lift: 4.3" (110mm); swivel: +/-45°; Pivot: clockwise 0° to 90°
	Power supply Power consumption	90 watts AC/DC adapter, 88% PSU, universal 19 watts typical, 32 watts maximum, <0.5 watts standby / suspend
	Limited warranty	3-years, Customer Carry-In or Mail-In via Rapid Replacement Service
	VESA-compliant Ergonomics Emission standards Environmental Windows certifications	VESA DDC2B/CI, VESA DPMS-compliant ISO 9241-307, TUV Eye Comfort certified FCC Class B TCO 7.0, TCO Edge 2.0, WEEE, RoHS, ENERGY STAR® 7.0, EPEAT™ Gold rating, ULE Gold, TUV, VOC Windows 7 and Windows 10 certified
	Ship group	TIO (Monitor), detachable stand, AC/DC power adapter, power cord, user's guide and driver CD, quick start and safety poster
	Accessories	For compatible accessories, please go to http://www.lenovoquickpick.com

ThinkCentre Tiny-in-One 22 Gen3 Compatible list					
Model	M910 / M710 / M900 / M700 /	M93/p Tiny,	Chromebox		
	M600 / M715 / M83 / M53 Tiny	M73 Tiny			
Turn on TIO and					
Tiny together via	All models	All models	Not support		
Alt + P on USB KB					
Turn on TIO and					
Tiny together via	All models	TIO models	All models		
TIO Power Button					

ThinkCentre Tiny-In-One 22 Gen3











