Think Vision P32u 61C1RAT2EU

Region

EMEA

Color

Black

Panel

In-Plane Switching

Display Size

32

View Area

708.48x398.52 mm

Resolution

3840x2160

Aspect Ratio

16:9

Pixel Pitch

0.1845x0.1845 mm

Dot / Pixel Per Inch

137 dpi

Brightness

300 nits

Contrast Ratio

1000:1

Pixel Response Time

6 ms

Color Gamut

99.5%

View Angle (H / V)

178 / 178

Stand

Tilt, Swivel, Height Adjust Stand

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

606.8x726.7x350 mm

Power Comsuption (Typical / Maximum)

70W / 200W

Power Adapter

Intergrated

Weight (Including Stand)

22.05lb / 10kg

Warranty

3-year

ENERGY STAR

ENERGY STAR 7.0

TCO

TCO 7.0

EPEAT

Gold

Presets / User Settings

28 / 20

On Screen Display

OSD, 8 Languages

USB Port

USB 3.0x4

Speaker

None

Camera

None

Multiple Input

HDMI, DP. Thunberbolt

Monitor Cable

HDMI, DP, Thunberbolt

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Operating System

Support Windows 7, Windows 10

Ann Date (mm/yy)

07/18

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries

4

www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2018. All rights reserved.



ThinkVision P32u-10 MONITOR



ENVIRONMENTAL

Temperature

Operating

Operating Non-Operating

Operating

Mercury-Free

Non-Operating
Arsenic-Free Glass

Humidity

Altitude

PVC-Free

Non-Operating

SPECIFICATIONS

DISPLAY
Panel Size
Panel Type
Backlight
Resolution
Aspect Ratio
Anti-Glare
Screen Dimensions (W x H) (mm)
Maximum Brightness (Typical)
Viewing Angle (H/V at CR 10:1)
Contrast Ratio (Typical)
Dynamic Contrast Ratio
Pixel Pitch (W x H) (mm)
Dot/Pixel Per Inch (DP/PPI)
Color Gamut (1931)

Response Time (Typical)

Typical

Maximum

Sleep-Mode

Power Supply

Power Voltage

Switch Off-Mode

SIGNAL INPUT
Video Input Signals

Video Cables Supplied

Video Cable Length

USB Cable Supplied Audio-Out

USB Hub

POWER CONSUMPTION

Voltage Dynamic Frequency

32"
In-Plane Switching
WLED
3840 x 2160
16:9

yes
708.48 (H) x 398.52 (V)
300 cd/m ²
178°/178°
1000:1
3M:1
0.1845 (H) x 0.1845 (V)
177

157
99.5% AdobeRGB
6 ms

70 W 200 W

≤0.5 W

≤0.5 W

External

90 VAC - 264 VAC

47 Hz - 63 Hz

DIMENSIONS	/\A/ \	\sim	· LIN

PCC % of Plastic Resins

(Monitor Head Only)

(mm / inches)

(mm / inches)

Distance from Table to Panel Lowest Pixel at Bottom of Screen

Highest Pixel at Top of Screen

(mm)

(inches)

	DIMENSIONS (W x D x H)	
	Size Packed (mm) (inches)	844 x 228 x 528 33.23" x 8.98" x 20.79"
	Size Unpacked with Stand Lowest Position (mm) (inches)	726.7 × 350 × 497.8 28.61" × 13.78" × 19.6"
1	Highest Position (mm) (inches)	726.7 x 350 x 606.8 28.61" x 13.78" x 23.89"
	Size Unpacked without Stand	

0°C - 40°C

8% - 80%

5% - 95%

Yes

Yes

Yes

-20°C - 60°C

0 ft - 5000 ft

0 ft - 40,000 ft

85% with >25 g Plastic Parts

726.7 x 63.3 x 431.5

90.9 / 3.58"

489.4 / 19.27"

28.61" x 2.49" x 16.99"

2 x HDMI™ 2.0 + DisplayPort™ 1.2 + Thunderbolt™ 3.0-In + Thunderbolt™ 3.0-Out HDMI™, DisplayPort™, Thunderbolt™ 3.0 2 m for Thunderbolt™, 1.8 m for HDMI™ and DisplayPort™ Yes (4 x Downstream, 1 x BC) Yes (USB Type-A to Type-B) Yes (3.5 mm)	
ORMANCE	

SIGNAL INTERFACE / PERFORMANCE		
Horizontal Frequency	30 kHz - 160 kl	
Vertical Frequency	23 Hz - 80 Hz	
Native Resolution	3840 x 2160	

Maximum Pixel Clock Speed / Bandwidth	HDMI™ Display Thunder
Preset / User	28 / 20

Preset / User
OSD Buttons
OSD Languages

30 kHz - 160 kHz
23 Hz - 80 Hz
3840 x 2160
HDMI™ : 600 MHz
Display Port™: 5.4 Gbps
Thunderbolt™: 10 Gbps

2 / 0.08"

5 Buttons English, French, German, Spanish, Italian, Japanese, Simplified Chinese, Russian

Stand Base Footprint Area	
(mm / inches)	350 x 350 / 13.78" x 13.78"
Weight	
Packed	Starting at 29.32 lbs (13.3 kg)
Unpacked	Starting at 22.05 lbs (10 kg)
Monitor Head Only	Starting at 15.21 lbs (6.9 kg)

MECHANICAL

Tilt Angle (Front / Back)	-5° / 22°
Swivel Angle (Left / Right)	45° / 45°
Lift (mm)	110
(CW / CCW)	90° / 90°
VESA® Mount (mm)	100 x 100
Kensington® Lock Slot	Yes
Cable Management	Yes
Bezel Color	Raven Black
Bezel Width	
Top (mm / inches)	2 / 0.08"
Bottom (mm / inches)	23.8 / 0.94"

EPEAT™	Gold
ENERGY STAR® Rating	7.0
TCO	TCO 7.0 / TCO Edge 2.0
Windows Certification	Windows 7 / Windows 10
China Energy Efficiency Standard	Tier 2

WARRANTY AND AVAILABILITY

Warranty	3 Years
Geography Availability	WW





Sides (mm / inches)

WWW.LENOVO.COM











