ThinkVision. P32u-10 Monitor

BRINGING VISION TO LIFE

The ThinkVision P32u-10 monitor combines phenomenal visuals and effortless connectivity for powerful performance and precise viewing. From color-centric tasks such as graphic design and photo retouching to displaying detailed content for users like financial analysts, scientists, and researchers, this monitor delivers with utmost precision. What's more, with intuitive connectivity enabled by the Thunderbolt™ 3 port, it can daisy chain two 4K monitors for smooth multitasking and an unmatched viewing experience.







Color Accuracy

Thunderbolt[™] 3 4K Resolution





PROFESSIONAL-GRADE COLOR ACCURACY

Experience detailed and natural visuals as the 10-bit color depth offers over 1 billion colors with the 99.5% Adobe RGB color gamut. Also, the multiple color spaces on this monitor cater to the specific needs of various professionals. Colors are pre-calibrated from the factory, to an average of delta E<2. This feature helps industrial designers, graphic designers, and editors effectively work on color-critical tasks like video editing and color correction.

Addtionally, with ThinkColor software, you can easily select and edit colors for various scenarios. You can also choose between multiple color spaces or tune the color with real-time preview.





Color Accuracy Multi Color Space ThinkColor

CONNECTIVITY REDEFINED

Transferring data, watching videos, or charging devices on this monitor is as effortless as it could be. The intuitive Thunderbolt[™] 3 port enables a one-cable connection to all the peripherals you need.

This port helps boost your productivity, and lets you explore more ways to work efficiently. Collaborate easily with lightning-fast data transfers, or daisy chain two independent 4K displays when you need to multitask.



(A)

Lightning Fast Data Transfers

*with 40Gbps cable

Dual 4K **Daisy Chain**

4K


4K

Power Delivery for Peripherals



INCREDIBLE CLARITY FOR PRECISE VIEWING

This NearEdgeless 32-inch monitor is ideal for big data analysts and CAD designers who require bigger displays to view complex data or create highly detailed content. Also, for a great visual experience and consistent clarity from all angles, it features a 4K display that boasts a resolution of 3840 x 2160 pixels.







BRINGING COMFORT

TO WORK

The ergonomic full-function stand allows you to position the monitor in any way that suits your working style or posture with lift, tilt, pivot, and swivel. Also, the anti-glare display allows you to work seamlessly even under glaring office lights. This feature is apt for video editors and designers who often spend long hours on their monitors.

ThinkVision[®] P32u-10 SPECIFICATIONS

DISPLAY

Panel Size 32 inches

Screen Dimensions (H x V) 708.48 x 398.52mm

Panel Type In-Plane Switching

Backlight WLED

Aspect Ratio 16:9

Resolution 3840 x 2160 pixels

Pixel Pitch (H x V) 0.1845 x 0.1845mm

Viewing Angle (H x V) 178°/178°

Response Time (gray to gray) 4ms (extreme mode) 6ms (normal mode)

Contrast Ratio (typical) 1000:1

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut

DIMENSIONS

Size Packed (D x H x W) 844 x 228 x 528mm / 33.23 x 8.98 x 20.79 inches

Size Unpacked w/stand ($D \times H \times W$) (Lowest Position) 350.0 x 497.85 x 726.7mm / 13.78 x 19.6 x 28.61 inches

Size Unpacked w/stand ($D \times H \times W$) (Highest Position) 350.0 x 607.85 x 726.7mm / 13.78 x 23.93 x 28.61 inches

Size Unpacked w/o stand ($D \times H \times W$) (Head Only) 58.95 x 431.5 x 726.7mm / 2.32 x 16.99 x 28.61 inches

WEIGHT

Weight Packed 14.30kg/31.32lbs.

Weight Unpacked 10.97kg/24.18lbs.

Weight (Monitor Head Only) 6.97kg/15.37lbs.

SPECIAL FEATURES

Kensington[™] Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black

Bezel Width (side) 2mm

Bezel Width (top/bottom) 2.0/23.8mm

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable 1 x DP-DP cable 1 x HDMI cable 1 x USB 3.0 cable 1 x Thunderbolt[™] 3 cable (20Gbps) 1 x CD (ThinkColor) Factory calibration report

CERTIFICATIONS

ENERGY STAR® Rating 7.1

Quick setup guide

EPEAT[™] Silver

99.5% Adobe RGB, 100% sRGB, 100% BT.709, 98.2% DCI-P3, 79.3% BT.2020

Color Support 1.07 Billion

CONNECTIVITY

Video Input Signals 2 HDMI 2.0 + DP 1.2 + Thunderbolt[™] 3 In + Thunderbolt[™] 3 Out

Video Cable Length 2m for Thunderbolt™ 1.8m for HDMI & DP

Audio Out Yes (3.5mm)

USB Hub

Yes 2 x USB 3.0 (Upstream, 1 by Thunderbolt[™] 3) 4 x USB 3.0 (Downstream, incl. 1BC)

Power Consumption <57W (Typical) / <190W (Max)

at On mode <0.5W at Sleep mode <0.3W at Switch off mode

Factory Calibration Yes
Anti-Glare Yes
PIP/PBP Yes

KVM switch Yes

Software Yes (ThinkColor)

MECHANICAL

Tilt Angle (front/back) -5°/30°

Swivel Angle (left/right) -45°/+45°

Lift (Max range) 110mm

Pivot -90°/90°

VESA Mount Capability Yes (100 x 100mm)

CCC Yes RoHS Yes ULE Gold TCO

7.0

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 2

TÜV Eye Comfort Yes



© 2019 Lenovo. All rights reserved. Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer The served and the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen2 to Gbit/s for USB 3.1 may be trademarks or service marks of others