

ThinkVision T24m 61CFRAT2IT

Product

ThinkVision T24m

Region

EMEA

Color

Black

Panel

In-Plane Switching

Display Size

23.8"

View Area

527.04x296.46 mm

Resolution

1920x1080

Aspect Ratio

16:9

Pixel Pitch

0.2745x0.2745 mm

Dot / Pixel Per Inch

92 dpi

Brightness

250 nits

Contrast Ratio

1000:1

Pixel Response Time

6 ms

Color Gamut

99%

View Angle (H / V)

178 / 178

Stand

Tilt, Swivel, Pivot, Height Adjust Stand

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

483.4x540.2x261.75 mm

Power Consumption (Typical / Maximum)

17W / 110W

Power Adapter

Integrated

Weight (Including Stand)

12.34lb / 5.6kg

Warranty

3-year

ENERGY STAR

ENERGY STAR 7.0

TCO

TCO 7.0

EPEAT

Silver

Presets / User Settings

HDMI:19 / DP:11

On Screen Display

OSD, 8 Languages

USB Port

USB 3.0x5

Speaker

None

Camera

None

Multiple Input

HDMI, DP, USB Type-C

Monitor Cable

USB 3.1 Type-C

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Operating System

Support Windows 7, Windows 10

Ann Date (mm/yy)

09/19



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2019. All rights reserved.



Lenovo™

Name Bezel color Type-model Panel Viewable image size Max view area (W x H) Native resolution Aspect ratio Pixel pitch (mm) Dot/Pixel per Inch Brightness Contrast ratio Pixel response time Color gamut Viewing angle at 10:1 CR Stand Bezel width Dimensions (HxWxD) Power supply Weight Limited warranty Available date	T24m Wide Flat Panel Monitor Black 61B8RAR3US / 61B8RAT3EU TFT-LCD, In-Plane Switching (IPS), White LED backlight 23.8" (604.7mm) diagonal 20.75" x 11.67" (527.04mm x 296.46mm) 1920x1080 16:9 0.2745 x 0.2745 mm 92 dpi 250 nits or cd/m² (typical) 1000:1 (typical) 6ms (typical) 99% sRGB 178° (+/- 89°) horizontal, 178° (+/- 89°) vertical Tilt, swivel, pivot, and height adjustable stand <i>Sides:</i> 0.08" (2.0mm) 19.03" H x 21.26" W x 10.3" D; 483.4mm H x 540.2mm W x 261.75mm D 17 watts typical, 110 watts maximum (with USB 3.0 hub), <0.5 watts standby/suspend, universal, integrated (no external brick-like power supply) 12.34 lb; 5.6 kg 3 year (includes backlight) August 2017				
VESA-compliant Power management Ergonomics Emission standards Environmental	Features • Widescreen 23.8-inch monitor • Supports 1920x1080 resolution • Supports ThinkCentre Tiny Clamp Bracket • Supports optional soundbar • EPEAT Gold certified • Microsoft® Windows® 7 certified • Microsoft Windows 10 certified				
Preset resolutions Preset display modes	VESA DDC2B/CI ENERGY STAR® qualified ISO 9241-307 FCC Class B TCO Displays 7.0, TCO Certified Edge 2.0, WEEE, RoHS, EPEAT™ Silver rating VGA: 640x480 SVGA: 800x600 XGA: 1024x768 SXGA: 1280x1024 WXGA: 1366x768 WXGA+: 1440x900, 1600x900 WSXGA+: 1680x1050 Full HD: 1920x1080, 1920x1200 HDMI: 19; DP: 11				
Viewing adjustments Rotating screen On screen display Control features USB hub Multimedia Multiple input Monitor connectors Signal cables Mounting features Security	ThinkVision T24m Wide Monitor <i>Tilt:</i> 30° back, -5° forward; <i>lift:</i> 4.3" (110mm); <i>swivel:</i> +/-45°; detachable stand Screen pivots 90 degrees from landscape to portrait On screen display with digital user controls (8 languages) Direct access (buttons on front) for power, menu, input source select and brightness USB 3.0 Hub: 1 port into PC (USB 3.0); 4 ports for accessories (4 USB 3.0) Audio-out, optional sound bar supported Support HDMI, DisplayPort, USB 3.1 Type-C (1) HDMI (1.4), digital, HDCP-compliant (2) DisplayPort (1.2), digital, HDCP-compliant (3) USB 3.1 Type-C (1) 1.8 meter USB Type-C to USB Type-C cable Wall or desk mounting using the Extend Arm or third-party accessories, 100mm x 100mm mount Security keyhole for attachment of optional cable lock (Kensington® lock-compatible)				
Ship group	Monitor with stand, Safety and Warranty Information, 1.8 meter USB Type-C to USB Type-C cable, 1.8 meter black power cord				
Limited Warranty See details at http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281	Accessories <table> <tr> <td>Kensington MicroSaver Cable Lock</td> <td>73P2582</td> </tr> <tr> <td>Kensington Twin Head Cable Lock</td> <td>45K1620</td> </tr> </table> See details at www.lenovo.com/support/monitoraccessories See all monitors at www.lenovo.com/thinkvision	Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620
Kensington MicroSaver Cable Lock	73P2582				
Kensington Twin Head Cable Lock	45K1620				

ThinkVision T24m

