Lenovo G27c-10 66A3GACBIT

Product

Lenovo G27c-10

Machine Type 66A3

Region EMEA

Display Size

View Area 597.89x336.31 mm

Panel Vertical Alignment

Aspect Ratio 16:9

Resolution 1920x1080

Pixel Pitch 0.3114x0.3114 mm

Dot / Pixel Per Inch 81.6 dpi

View Angle (H / V) 178 / 178

Pixel Response Time 1ms (with MPRT) / 4 ms (Extreme mode) / 6 ms/14 ms (Typical/off mode)

Refresh Rate

Brightness 350 nits

Contrast Ratio 3000:1

Color Gamut 72% NTSC

Multiple Input HDMI, DP

USB Port None

Camera None

Speaker None

Power Consumption (Typical / Maximum) 27W / 33W

Power Adapter integrated

Stand Tilt, Height Adjust Stand

Color Raven Black Side Bezel Width 2.96 mm

Dimensions with Stand (HxWxD) 520.4x611.99x234.8 mm

Weight (Including Stand) 13.45 lb / 6.1 kg

Monitor Cable HDMI

ENERGY STAR None

TCO None

EPEAT None

Low Blue Light / Eye Comfort / Eyesafe Display Low Blue Light & Flicker Free

Base Warranty 3-year

Operating System Support Windows 7, Windows 10

Presets / User Settings

On Screen Display OSD, 8 Languages

Sync Technology AMD Radeon FreeSync

CPU / Platform None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Announce Date 2020-01-13

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2021. All rights reserved.



Lenovo G27c-10 Monitor

DISPLAY

Panel Size 27-inch

Screen Dimensions 597.89 mm x 336.31 mm

Panel Type 3-side NearEdgeless VA

Curvature 1500R

Backlight WLED

Aspect Ratio 16:9

Resolution 1920 x 1080

Pixel Pitch 0.3114 x 0.3114 mm

Dot/Pixel Per Inch (DPI/PPI) 81.6

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 1ms with MPRT

Refresh Rate 165 Hz

Brightness (typical) 350 cd/m²

Contrast Ratio (typical) 3000:1

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut 72%

Color Support (typical) 16.7 Million

Anti-glare Yes

Video Signal 1 x HDMI 2.0 1 x DP 1.2

CONNECTIVITY

Audio Signal 1 x Audio Out (3.5 mm)

SPECIAL FEATURES

Sync Technology AMD Radeon FreeSync™*

POWER

Power Consumption (typical/max) 33W / 27W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

Voltage Required AC 90 to 264 V (47/63 Hz)

MECHANICAL

Tilt Angle (front/back) -5° / 22°

Lift (max range) 130 mm

VESA Mount Capability Yes (100 x 100 mm)

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black

Bezel Width (side) 2.96 mm

Bezel Width (top/bottom) 2.96 / 15.16 mm

DIMENSION

Size Packed (D x H x W, mm/inch) 250 x 472 x 724 mm / 9.84 x 18.58 x 28.5 inches

Size Unpacked w/ Stand (D x H x W. mm/inch) (lowest position) 234.8 x 390.4 x 611.99 mm / 9.24 x 19.31 x 24.09 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 234.8 x 520.4 x 611.99 mm / 9.24 x 20.49 x 24.09 inches

Weight Packed (kg/lbs.) 8.5 kg / 18.74 lbs.

Weight Unpacked (kg/lbs.) 6.1 kg / 13.45 lbs.

WHAT'S IN THE BOX

Monitor with stand Information flyer 1 x HDMI cable (1.8 m) 1 x Power cable (1.8 m)

CERTIFICATION

CCC Yes

RoHS (EU 2002/95/EC) Yes

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 1

TÜV Rheinland Low Blue Light / **TÜV Rheinland Flicker Free** Yes







*AMD Radeon FreeSync™ can only work with AMD Radeon™ series graphics card

**Moving Picture Response Time (MPRT) improves the response time and reduces motion blur in the monitor. Enabling MPRT will disable AMD FreeSync[™], and you may notice a negligible flicker

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Other company, product, and service names may be trademarks or service marks of others.









